



Maricopa County
Air Quality Department

2012
Perchloroethylene
Dry Cleaners' Calendar

INSTRUCTIONS

General - You may use this calendar to help keep records required by your air quality permit.
Keep these records at your facility for 5 years.

Example

JANUARY 2012
 PERC PURCHASES RUNNING TOTAL

Note: These calculations and entries must be completed on the 1st working day of each month for the previous month.

TOTAL FROM LAST MONTH	55	Enter running total from last month.
SUBTRACT PERC PURCHASED JANUARY 2011	-10	Enter the amount of PERC you bought during this month last year, from last year's records or calendar. Subtract that amount.
SUBTOTAL	45	This is your 12 month running total if you do not buy PERC this month.
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
01/12/2012	+20	65
	+	

Record the date(s) you bought PERC this month, if any.

If you bought PERC this month, record the amount and add it to the subtotal. The totals for this month will also go on next year's calendar for this same month under, **"SUBTRACT PERC PURCHASED."**

CONDENSER TEMPERATURE LOG - Check the outlet temperature of the refrigerated condenser **every week**. Record the temperature and date in the space provided. In the block marked "Is temperature less than or equal to 45° F (7.2° C)?" circle "Y" or "N" for "yes" or "no". If you checked "N", the machine must be repaired.

JANUARY 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JANUARY 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	N	Y	N	Y	N			
HOSES & PIPE FITTINGS	N	Y	N	Y	N	Y		
DOOR GASKET	N	Y	N	Y	N	Y		
PUMPS	N	Y	N	Y	N	Y		
SOLVENT TANKS & CONTAINERS	N	Y	N	Y	N	Y		
WATER SEPARATOR	N	Y	N	Y	N	Y		
MUCK COOKER	N	Y	N	Y	N	Y		
STILL	N	Y	N	Y	N	Y		
EXHAUST DAMPER	N	Y	N	Y	N	Y		
DIVERTER VALVE	N	Y	N	Y	N	Y		
FILTER GASKET	N	Y	N	Y	N	Y		
CARTRIDGE FILTER	N	Y	N	Y	N	Y		
WASTE CONTAINERS	N	Y	N	Y	N	Y	LABELED Y N	DATED Y N
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N	Y	N	Y	N	Y		

Maricopa County recommends performing all leak checks with a handheld leak detector.



DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2	3	4	5	6 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	7
8	9	10	11	12	13 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	14
15	16	17	18	19	20 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	21
22	23	24	25	26 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	27 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	28
29	30	31				

FEBRUARY 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED FEBRUARY 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSES & PIPE FITTINGS	N Y	N Y	N Y	N Y	N Y			
DOOR GASKET	N Y	N Y	N Y	N Y	N Y			
PUMPS	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANKS & CONTAINERS	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERTER VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	LABELED Y N DATED Y N		
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR?(AT LEAST ONCE A MONTH)	N Y	N Y	N Y	N Y	N Y			

Maricopa County recommends performing all leak checks with a handheld leak detector.



DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			1	2	3 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	4
5	6	7	8	9	10 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	11
12	13	14	15	16	17 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	18
19	20	21	22	23 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	24 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	25
26	27	28	29			

MARCH 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED MARCH 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	N	Y	N	Y	N			
HOSES & PIPE FITTINGS	N	Y	N	Y	N	Y		
DOOR GASKET	N	Y	N	Y	N	Y		
PUMPS	N	Y	N	Y	N	Y		
SOLVENT TANKS & CONTAINERS	N	Y	N	Y	N	Y		
WATER SEPARATOR	N	Y	N	Y	N	Y		
MUCK COOKER	N	Y	N	Y	N	Y		
STILL	N	Y	N	Y	N	Y		
EXHAUST DAMPER	N	Y	N	Y	N	Y		
DIVERTER VALVE	N	Y	N	Y	N	Y		
FILTER GASKET	N	Y	N	Y	N	Y		
CARTRIDGE FILTER	N	Y	N	Y	N	Y		
WASTE CONTAINERS	N	Y	N	Y	N	Y	LABELED Y N DATED Y N	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N	Y	N	Y	N	Y		

Maricopa County recommends performing all leak checks with a handheld leak detector.



DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				1	2 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	3
4	5	6	7	8	9 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	10
11	12	13	14	15	16 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	17
18	19	20	21	22 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	23 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	24
25	26	27	28	29	30 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	31

APRIL 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED APRIL 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSES & PIPE FITTINGS	N Y	N Y	N Y	N Y	N Y			
DOOR GASKET	N Y	N Y	N Y	N Y	N Y			
PUMPS	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANKS & CONTAINERS	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERTER VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	LABELED Y N DATED Y N		
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N Y	N Y	N Y	N Y	N Y			

Maricopa County recommends performing all leak checks with a handheld leak detector.



DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2	3	4	5	6 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	7
8	9	10	11	12	13 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	14
15	16	17	18	19	20 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	21
22	23	24	25	26 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	27 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	28
29	30					

MAY 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED MAY 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	N	Y	N	Y	N			
HOSES & PIPE FITTINGS	N	Y	N	Y	N	Y		
DOOR GASKET	N	Y	N	Y	N	Y		
PUMPS	N	Y	N	Y	N	Y		
SOLVENT TANKS & CONTAINERS	N	Y	N	Y	N	Y		
WATER SEPARATOR	N	Y	N	Y	N	Y		
MUCK COOKER	N	Y	N	Y	N	Y		
STILL	N	Y	N	Y	N	Y		
EXHAUST DAMPER	N	Y	N	Y	N	Y		
DIVERTER VALVE	N	Y	N	Y	N	Y		
FILTER GASKET	N	Y	N	Y	N	Y		
CARTRIDGE FILTER	N	Y	N	Y	N	Y		
WASTE CONTAINERS	N	Y	N	Y	N	Y	LABELED Y N DATED Y N	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N	Y	N	Y	N	Y		

Maricopa County recommends performing all leak checks with a handheld leak detector.



DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		1	2	3	4 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	5
6	7	8	9	10	11 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	12
13	14	15	16	17	18 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	19
20	21	22	23	24 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	25 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	26
27	28	29	30	31		

JUNE 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JUNE 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	N	Y	N	Y	N			
HOSES & PIPE FITTINGS	N	Y	N	Y	N	Y		
DOOR GASKET	N	Y	N	Y	N	Y		
PUMPS	N	Y	N	Y	N	Y		
SOLVENT TANKS & CONTAINERS	N	Y	N	Y	N	Y		
WATER SEPARATOR	N	Y	N	Y	N	Y		
MUCK COOKER	N	Y	N	Y	N	Y		
STILL	N	Y	N	Y	N	Y		
EXHAUST DAMPER	N	Y	N	Y	N	Y		
DIVERTER VALVE	N	Y	N	Y	N	Y		
FILTER GASKET	N	Y	N	Y	N	Y		
CARTRIDGE FILTER	N	Y	N	Y	N	Y		
WASTE CONTAINERS	N	Y	N	Y	N	Y	LABELED Y N DATED Y N	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N	Y	N	Y	N	Y		

Maricopa County recommends performing all leak checks with a handheld leak detector.



DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
					1 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	2
3	4	5	6	7	8 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	9
10	11	12	13	14	15 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	16
17	18	19	20	21 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	22 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	23
24	25	26	27	28	29 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	30

JULY 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JULY 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	N	Y	N	Y	N			
HOSES & PIPE FITTINGS	N	Y	N	Y	N	Y		
DOOR GASKET	N	Y	N	Y	N	Y		
PUMPS	N	Y	N	Y	N	Y		
SOLVENT TANKS & CONTAINERS	N	Y	N	Y	N	Y		
WATER SEPARATOR	N	Y	N	Y	N	Y		
MUCK COOKER	N	Y	N	Y	N	Y		
STILL	N	Y	N	Y	N	Y		
EXHAUST DAMPER	N	Y	N	Y	N	Y		
DIVERTER VALVE	N	Y	N	Y	N	Y		
FILTER GASKET	N	Y	N	Y	N	Y		
CARTRIDGE FILTER	N	Y	N	Y	N	Y		
WASTE CONTAINERS	N	Y	N	Y	N	Y	LABELLED Y N	DATED Y N
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N	Y	N	Y	N	Y		

Maricopa County recommends performing all leak checks with a handheld leak detector.



Maricopa County
Air Quality Department

JULY 2012

DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2	3	4	5	6 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	7
8	9	10	11	12	13 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	14
15	16	17	18	19	20 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	21
22	23	24	25	26 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	27 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	28
29	30	31				

AUGUST 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED AUGUST 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	N	Y	N	Y	N			
HOSES & PIPE FITTINGS	N	Y	N	Y	N	Y		
DOOR GASKET	N	Y	N	Y	N	Y		
PUMPS	N	Y	N	Y	N	Y		
SOLVENT TANKS & CONTAINERS	N	Y	N	Y	N	Y		
WATER SEPARATOR	N	Y	N	Y	N	Y		
MUCK COOKER	N	Y	N	Y	N	Y		
STILL	N	Y	N	Y	N	Y		
EXHAUST DAMPER	N	Y	N	Y	N	Y		
DIVERTER VALVE	N	Y	N	Y	N	Y		
FILTER GASKET	N	Y	N	Y	N	Y		
CARTRIDGE FILTER	N	Y	N	Y	N	Y		
WASTE CONTAINERS	N	Y	N	Y	N	Y	LABELED Y N DATED Y N	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N	Y	N	Y	N	Y		

Maricopa County recommends performing all leak checks with a handheld leak detector.



DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			1	2	3 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	4
5	6	7	8	9	10 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	11
12	13	14	15	16	17 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	18
19	20	21	22	23 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	24 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	25
26	27	28	29	30	31 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	

SEPTEMBER 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED SEPTEMBER 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	N	Y	N	Y	N			
HOSES & PIPE FITTINGS	N	Y	N	Y	N	Y		
DOOR GASKET	N	Y	N	Y	N	Y		
PUMPS	N	Y	N	Y	N	Y		
SOLVENT TANKS & CONTAINERS	N	Y	N	Y	N	Y		
WATER SEPARATOR	N	Y	N	Y	N	Y		
MUCK COOKER	N	Y	N	Y	N	Y		
STILL	N	Y	N	Y	N	Y		
EXHAUST DAMPER	N	Y	N	Y	N	Y		
DIVERTER VALVE	N	Y	N	Y	N	Y		
FILTER GASKET	N	Y	N	Y	N	Y		
CARTRIDGE FILTER	N	Y	N	Y	N	Y		
WASTE CONTAINERS	N	Y	N	Y	N	Y	LABELLED Y N	DATED Y N
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N	Y	N	Y	N	Y		

Maricopa County recommends performing all leak checks with a handheld leak detector.



DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						1
2	3	4	5	6	7 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	8
9	10	11	12	13	14 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	15
16	17	18	19	20 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	21 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	22
23 30	24	25	26	27	28 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	29

OCTOBER 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED OCTOBER 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	N	Y	N	Y	N			
HOSES & PIPE FITTINGS	N	Y	N	Y	N	Y		
DOOR GASKET	N	Y	N	Y	N	Y		
PUMPS	N	Y	N	Y	N	Y		
SOLVENT TANKS & CONTAINERS	N	Y	N	Y	N	Y		
WATER SEPARATOR	N	Y	N	Y	N	Y		
MUCK COOKER	N	Y	N	Y	N	Y		
STILL	N	Y	N	Y	N	Y		
EXHAUST DAMPER	N	Y	N	Y	N	Y		
DIVERTER VALVE	N	Y	N	Y	N	Y		
FILTER GASKET	N	Y	N	Y	N	Y		
CARTRIDGE FILTER	N	Y	N	Y	N	Y		
WASTE CONTAINERS	N	Y	N	Y	N	Y	LABELED Y N DATED Y N	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N	Y	N	Y	N	Y		

Maricopa County recommends performing all leak checks with a handheld leak detector.



Maricopa County
Air Quality Department

OCTOBER 2012

DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	1	2	3	4	5	6
7	8	9	10	11	12 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	13
14	15	16	17	18	19 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	20
21	22	23	24	25 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	26 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	27
28	29	30	31			

NOVEMBER 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED NOVEMBER 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	N	Y	N	Y	N			
HOSES & PIPE FITTINGS	N	Y	N	Y	N	Y		
DOOR GASKET	N	Y	N	Y	N	Y		
PUMPS	N	Y	N	Y	N	Y		
SOLVENT TANKS & CONTAINERS	N	Y	N	Y	N	Y		
WATER SEPARATOR	N	Y	N	Y	N	Y		
MUCK COOKER	N	Y	N	Y	N	Y		
STILL	N	Y	N	Y	N	Y		
EXHAUST DAMPER	N	Y	N	Y	N	Y		
DIVERTER VALVE	N	Y	N	Y	N	Y		
FILTER GASKET	N	Y	N	Y	N	Y		
CARTRIDGE FILTER	N	Y	N	Y	N	Y		
WASTE CONTAINERS	N	Y	N	Y	N	Y	LABELED Y N DATED Y N	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N	Y	N	Y	N	Y		

Maricopa County recommends performing all leak checks with a handheld leak detector.



Maricopa County
Air Quality Department

NOVEMBER 2012

DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				1	2 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	3
4	5	6	7	8	9 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	10
11	12	13	14	15	16 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	17
18	19	20	21	22 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	23 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	24
25	26	27	28	29	30 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	

DECEMBER 2012

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED DECEMBER 2011		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	N	Y	N	Y	N			
HOSES & PIPE FITTINGS	N	Y	N	Y	N	Y		
DOOR GASKET	N	Y	N	Y	N	Y		
PUMPS	N	Y	N	Y	N	Y		
SOLVENT TANKS & CONTAINERS	N	Y	N	Y	N	Y		
WATER SEPARATOR	N	Y	N	Y	N	Y		
MUCK COOKER	N	Y	N	Y	N	Y		
STILL	N	Y	N	Y	N	Y		
EXHAUST DAMPER	N	Y	N	Y	N	Y		
DIVERTER VALVE	N	Y	N	Y	N	Y		
FILTER GASKET	N	Y	N	Y	N	Y		
CARTRIDGE FILTER	N	Y	N	Y	N	Y		
WASTE CONTAINERS	N	Y	N	Y	N	Y	LABELED Y N DATED Y N	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N	Y	N	Y	N	Y		

Maricopa County recommends performing all leak checks with a handheld leak detector.



DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						1
					<input type="checkbox"/> <input type="checkbox"/>	
2	3	4	5	6	7	8
					Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	
9	10	11	12	13	14	15
					Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	
16	17	18	19	20	21	22
				REMINDER! <input type="checkbox"/> Monthly vapor leak check?	Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	
23	24	25	26	27	28	29
					Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	
30	31					

JANUARY 2013

CONDENSER TEMPERATURE LOG

PERC PURCHASES RUNNING TOTAL

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JANUARY 2012		
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Notes

INSPECTED LOCATION FOR LEAKS	INSPECTED DATE					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	N	Y	N	Y	N			
HOSES & PIPE FITTINGS	N	Y	N	Y	N	Y		
DOOR GASKET	N	Y	N	Y	N	Y		
PUMPS	N	Y	N	Y	N	Y		
SOLVENT TANKS & CONTAINERS	N	Y	N	Y	N	Y		
WATER SEPARATOR	N	Y	N	Y	N	Y		
MUCK COOKER	N	Y	N	Y	N	Y		
STILL	N	Y	N	Y	N	Y		
EXHAUST DAMPER	N	Y	N	Y	N	Y		
DIVERTER VALVE	N	Y	N	Y	N	Y		
FILTER GASKET	N	Y	N	Y	N	Y		
CARTRIDGE FILTER	N	Y	N	Y	N	Y		
WASTE CONTAINERS	N	Y	N	Y	N	Y	LABELLED Y N	DATED Y N
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	N	Y	N	Y	N	Y		

Maricopa County recommends performing all leak checks with a handheld leak detector.



DRY CLEANERS' CALENDAR

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		1	2	3	4 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	5
6	7	8	9	10	11 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	12
13	14	15	16	17 REMINDER! <input type="checkbox"/> Monthly vapor leak check?	18 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	19
20	21	22	23	24	25 Temperature logged <input type="checkbox"/> Inspection logged <input type="checkbox"/>	26
27	28	29	30	31		

Maricopa County Air Quality Department

1001 North Central Avenue

Phoenix, AZ 85004

(602) 506-6094

www.maricopa.gov/aq

2012

Calendar

for

Perchloroethylene Dry Cleaners'

