Maricopa County
AIR QUALITY
DEPARTMENT

2020
Perchloroethylene Dry Cleaners' Calendar

2020 Recordkeeping Calendar

Maricopa County Air Quality Department

602-506-6010

INSTRUCTIONS

General - You may use this calendar to help keep records required by your air quality permit.
Keep these records at your facility for 5 years.

Example

JANUARY 2020
PERC PURCHASES RUNNING TOTAL

Note: These calculations and entries must be completed on the 1st working day of each month for the previous month.

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JANUARY 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

Enter running total from last month.

Enter the amount of PERC you bought during this month last year, from last year's records or calendar. Subtract that amount.

This is your 12 month running total if you do not buy PERC this month.

This is your 12 month running total if you bought PERC this month. Record the bottom number in this column on next month's form in line, **"TOTAL FROM LAST MONTH."**

Record the date(s) you bought PERC this month, if any.

If you bought PERC this month, record the amount and add it to the subtotal. The totals for this month will also go on next year's calendar for this same month under, **"SUBTRACT PERC PURCHASED."**

CONDENSER TEMPERATURE LOG - Check the outlet temperature of the refrigerated condenser **every week**. Record the temperature and date in the space provided. In the block marked "Is temperature less than or equal to 45º F (7.2º C)?" check "Yes" or "No". If you checked "No", the machine must be repaired.

JANUARY 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JANUARY 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

JANUARY 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
29	30	31	1	2	3 Temperature logged ☐ Inspection logged ☐	4
5	6	7	8	9	10 Temperature logged ☐ Inspection logged ☐	11
12	13	14	15	16	17 Temperature logged ☐ Inspection logged ☐	18
19	20	21	22	23 **REMINDER!** ☐ Monthly vapor leak check?	24 Temperature logged ☐ Inspection logged ☐	25
26	27	28	29	30	31 Temperature logged ☐ Inspection logged ☐	1
2	3	4	5	6	7	8

FEBRUARY 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED FEBRUARY 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

FEBRUARY 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
26	27	28	29	30	31	1
2	3	4	5	6	7 Temperature logged ☐ Inspection logged ☐	8
9	10	11	12	13	14 Temperature logged ☐ Inspection logged ☐	15
16	17	18	19	20 **REMINDER!** ☐ Monthly vapor leak check?	21 Temperature logged ☐ Inspection logged ☐	22
23	24	25	26	27	28 Temperature logged ☐ Inspection logged ☐	29
1	2	3	4	5	6	7

MARCH 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED MARCH 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

MARCH 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
23	24	25	26	27	28	29
1	2	3	4	5	6 Temperature logged ☐ Inspection logged ☐	7
8	9	10	11	12	13 Temperature logged ☐ Inspection logged ☐	14
15	16	17	18	19 **REMINDER!** ☐ Monthly vapor leak check?	20 Temperature logged ☐ Inspection logged ☐	21
22	23	24	25	26	27 Temperature logged ☐ Inspection logged ☐	28
29	30	31	1	2	3	4

APRIL 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED APRIL 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

APRIL 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
29	30	31	1	2	3 Temperature logged ☐ Inspection logged ☐	4
5	6	7	8	9	10 Temperature logged ☐ Inspection logged ☐	11
12	13	14	15	16 **REMINDER!** ☐ Monthly vapor leak check?	17 Temperature logged ☐ Inspection logged ☐	18
19	20	21	22	23	24 Temperature logged ☐ Inspection logged ☐	25
26	27	28	29	30	1	2
3	4	5	6	7	8	9

MAY 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED MAY 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

MAY 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
26	27	28	29	30	1 Temperature logged ☐ Inspection logged ☐	2
3	4	5	6	7	8 Temperature logged ☐ Inspection logged ☐	9
10	11	12	13	14	15 Temperature logged ☐ Inspection logged ☐	16
17	18	19	20	21 **REMINDER!** ☐ Monthly vapor leak check?	22 Temperature logged ☐ Inspection logged ☐	23
24	25	26	27	28	29 Temperature logged ☐ Inspection logged ☐	30
31	1	2	3	4	5	6

JUNE 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JUNE 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

JUNE 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
31	1	2	3	4	5 Temperature logged ☐ Inspection logged ☐	6
7	8	9	10	11	12 Temperature logged ☐ Inspection logged ☐	13
14	15	16	17	18 **REMINDER!** ☐ Monthly vapor leak check?	19 Temperature logged ☐ Inspection logged ☐	20
21	22	23	24	25	26 Temperature logged ☐ Inspection logged ☐	27
28	29	30	1	2	3	4
5	6	7	8	9	10	11

JULY 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JULY 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

JULY 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
28	29	30	1	2	3 Temperature logged ☐ Inspection logged ☐	4
5	6	7	8	9	10 Temperature logged ☐ Inspection logged ☐	11
12	13	14	15	16	17 Temperature logged ☐ Inspection logged ☐	18
19	20	21	22	23 **REMINDER!** ☐ Monthly vapor leak check?	24 Temperature logged ☐ Inspection logged ☐	25
26	27	28	29	30	31 Temperature logged ☐ Inspection logged ☐	1
2	3	4	5	6	7	8

AUGUST 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED AUGUST 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

AUGUST 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
26	27	28	29	30	31	1
2	3	4	5	6	7 Temperature logged ☐ Inspection logged ☐	8
9	10	11	12	13	14 Temperature logged ☐ Inspection logged ☐	15
16	17	18	19	20 **REMINDER!** ☐ Monthly vapor leak check?	21 Temperature logged ☐ Inspection logged ☐	22
23	24	25	26	27	28 Temperature logged ☐ Inspection logged ☐	29
30	31	1	2	3	4	5

SEPTEMBER 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED SEPTEMBER 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

SEPTEMBER 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
30	31	1	2	3	4 Temperature logged ☐ Inspection logged ☐	5
6	7	8	9	10	11 Temperature logged ☐ Inspection logged ☐	12
13	14	15	16	17 **REMINDER!** ☐ Monthly vapor leak check?	18 Temperature logged ☐ Inspection logged ☐	19
20	21	22	23	24	25 Temperature logged ☐ Inspection logged ☐	26
27	28	29	30	1	2	3
4	5	6	7	8	9	10

OCTOBER 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED OCTOBER 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

OCTOBER 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
27	28	29	30	1	2 Temperature logged ☐ Inspection logged ☐	3
4	5	6	7	8	9 Temperature logged ☐ Inspection logged ☐	10
11	12	13	14	15	16 Temperature logged ☐ Inspection logged ☐	17
18	19	20	21	22 **REMINDER!** ☐ Monthly vapor leak check?	23 Temperature logged ☐ Inspection logged ☐	24
25	26	27	28	29	30 Temperature logged ☐ Inspection logged ☐	31
1	2	3	4	5	6	7

NOVEMBER 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED NOVEMBER 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

NOVEMBER 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
25	26	27	28	29	30	31
1	2	3	4	5	6 Temperature logged ☐ Inspection logged ☐	7
8	9	10	11	12	13 Temperature logged ☐ Inspection logged ☐	14
15	16	17	18	19 **REMINDER!** ☐ Monthly vapor leak check?	20 Temperature logged ☐ Inspection logged ☐	21
22	23	24	25	26	27 Temperature logged ☐ Inspection logged ☐	28
29	30	1	2	3	4	5

DECEMBER 2020

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED DECEMBER 2019		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

DECEMBER 2020

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
29	30	1	2	3	4 Temperature logged ☐ Inspection logged ☐	5
6	7	8	9	10	11 Temperature logged ☐ Inspection logged ☐	12
13	14	15	16	17 **REMINDER!** ☐ Monthly vapor leak check?	18 Temperature logged ☐ Inspection logged ☐	19
20	21	22	23	24	25 Temperature logged ☐ Inspection logged ☐	26
27	28	29	30	31	1	2
3	4	5	6	7	8	9

JANUARY 2021

CONDENSER TEMPERATURE LOG

DATE	TEMP	Is temp less than or equal to 45º F (7.2º C)?
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No
		☐ Yes ☐ No

PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JANUARY 2020		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

INSPECTED LOCATION FOR LEAKS	INSPECTED DATES					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSE & PIPE FITTINGS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DOOR GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
PUMPS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
SOLVENT TANKS & CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WATER SEPARATOR	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
MUCK COOKER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
STILL	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
EXHAUST DAMPER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
DIVERTER VALVE	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
FILTER GASKET	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
CARTRIDGE FILTER	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			
WASTE CONTAINERS	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Labeled? ☐ Yes ☐ No	Dated? ☐ Yes ☐ No	
WERE LEAKS CHECKED WITH A HANDHELD LEAK DETECTOR? (AT LEAST ONCE A MONTH)	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No			

Maricopa County recommends performing all leak checks with a handheld leak detector

Maricopa County AIR QUALITY DEPARTMENT

JANUARY 2021

DRY CLEANERS' CALENDAR

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
27	28	29	30	31	1 Temperature logged ☐ Inspection logged ☐	2
3	4	5	6	7	8 Temperature logged ☐ Inspection logged ☐	9
10	11	12	13	14	15 Temperature logged ☐ Inspection logged ☐	16
17	18	19	20	21 **REMINDER!** ☐ Monthly vapor leak check?	22 Temperature logged ☐ Inspection logged ☐	23
24	25	26	27	28	29 Temperature logged ☐ Inspection logged ☐	30
31	1	2	3	4	5	6

Maricopa County
Air Quality Department

602-506-6010

2020

Calendar
for
Perchloroethylene Dry Cleaners

Maricopa County
AIR QUALITY
DEPARTMENT